



## **Burley d'lite manual 2007**

It took 10 years, but photographer Douglas Wright finally succeeded where others failed and built a camera that takes 3-D pictures. Now, Dimensional Visions Group Ltd., in Philadelphia, hopes to make 3-D ad inserts and posters with printer Quad/Graphics Inc., in Pewaukee, Wisc., which is evaluating the technology. If Quad likes what it sees, it will chip in \$6 million in new equipment. Photo Courtesy: Justin Paget/DigitalVision/Getty Images Vitamin D is important for maintaining a healthy body, primarily because it helps you fully maximize your body's absorption and utilization of calcium, an important for maintaining a healthy body. remodeling and growth, ensuring healthy, strong bones. Vitamin D can also help protect older adults from osteoporosis, which occurs due to excess bone loss from aging. Furthermore, this nutrient boosts your immune system and reduces inflammation within your body, potentially warding off future medical conditions in the process. It also plays a vital role in cell growth, neuromuscular functions and protein encoding. Studies have shown that a regular, healthy vitamin D intake can also serve as an antidepressant and make people feel generally happier. But that's not all you'll want to know about vitamin D. Sources of Vitamin D is naturally found in certain foods and now appears in many more foods that have been fortified with added nutrients. The best sources of naturally occurring vitamin D are oily fish such as salmon, tuna, cod, sardines and mackerel. Fish liver oils are another good source of vitamin D. Small amounts of the nutrient are present in beef liver, cheese, egg yolks and mushrooms. Photo Courtesy: Alexander Spatari/Moment/Getty Images Commonly, vitamin D. fortified foods include whole milk, orange juice, margarine and breakfast cereals. It's important to look at the label and nutrition facts to verify that vitamin D is in a particular food you're considering. Because dairy products are often fortified with vitamin D, lactose intolerant or vegan individuals should keep an eye on their diets to ensure they get enough of the vitamin D upon exposure to ultraviolet (UV) rays from the sun. However, it's difficult to gauge exactly how much sun exposure can generate sufficient vitamin D, as overexposure can be harmful, too. UV rays are also known to trigger free radicals, which can lead to skin cancer if left unchecked. It's been suggested that getting approximately 15 minutes of sun exposure between 10 a.m. and 3 p.m. at least twice a week to your face, arms, legs or back will help your body synthesize enough vitamin D. It's important to note that you can't cover the exposed area of your body with sunscreen if you choose to get vitamin D naturally. The SPF blocks UV rays and can hinder your body's ability to create vitamin D. If you're in the shade or behind a window, the rays will not get through. If the climate where you live is primarily cloudy, it's important to get your recommended amount of vitamin D via other means. Dietary supplements are also an excellent way of obtaining vitamin D. Supplements come in two forms: vitamin D3 (cholecalciferol), which is identical to the form your body makes when exposed to sunlight, and vitamin D2 (ergocalciferol), which differs slightly from D3 in its chemical side-chain structure. There's some evidence that vitamin D3 increases and maintains overall levels slightly better than vitamin D2. Side Effects of a Vitamin D deficiency occurs when you don't adequately absorb the nutrient or when your kidneys can't convert the nutrient to its active form. This deficiency can result in medical conditions, two of which are called rickets and osteomalacia. Photo Courtesy: RealPeopleGroup/E+/Getty Images Rickets, a disease characterized by a failure of bone tissues to get enough minerals, can result in abnormal, soft bones and skeletal deformities. It's most common in children. Fortunately, it isn't permanent, and kids can consume as few as 1 to 3 teaspoons of cod liver oil a day to reverse the condition. With the help of fortified foods today, rickets is almost obsolete in the United States. Osteomalacia, characterized by soft and weak bones, is usually present in adults. It's commonly treated with an intense regimen of vitamin D replacement under the care of a physician. Vitamin D and Other Health ConditionsVitamin D deficiency has been linked to cardiovascular disease, and people with lower levels of vitamin D appear to be at an increased risk of having a heart attack or stroke. However, the exact relationship isn't clear, and there appears to be no benefit to cardiovascular risk in taking a vitamin D supplement. Photo Courtesy: PixelsEffect/E+/Getty Images Research is also ongoing to find if there's a link between vitamin D and multiple sclerosis (MS). It appears that vitamin D and multiple sclerosis (MS). It appears that vitamin D and multiple sclerosis (MS). contracting respiratory illnesses such as influenza A. It appears that people with low vitamin D levels are at greater risk of severe novel coronavirus (COVID-19) infection. It's not clear yet if routine vitamin D is a fat-soluble substance, it can stay in your body for several days. poisoning is possible if you supplement too much vitamin D over a period of a few months. Symptoms of vitamin D overdose include dehydration, vomiting, decreased appetite, irritability, constipation and fatigue. If left unaddressed, vitamin D poisoning can lead to anorexia, over-calcification of the bones and internal organs, kidney stones and hypertension (high blood pressure). It's important to note that vitamin D poisoning usually only occurs with excessive intake and sun exposure. Daily Dosage Recommendations The recommended dietary allowances for vitamin D vary depending on your age and other health and life circumstances, such as pregnancy. For infants under 12 months, the recommended intake is 400 international units (IU) or 10 micrograms (mcg). For individuals over 70 years old, the intake increases to 800IU (20mcg). Photo Courtesy: katleho Seisa/E+/Getty Images If you have a pre-existing medical concerns, it's best to talk to a healthcare professional about determining your recommended dietary allowance for vitamin D. This way, you can be sure the vitamin doesn't interact negatively with your condition or medication. Resource Links: 20D%20deficiency.pdf MORE FROM SYMPTOMFIND.COM Page 1Burley d'lite, Manual Contents and LE Tiger d'liteOwner's Instruction and Safety Manual Contents Introduction 3 Safety Guidelines Tool List 4 Opening and Closing Your Trailer 5 Attaching the Seat 5 Mounting Reflectors 5 Installing Wheel Guards 5 Attaching Wheels 6 Using Parking Brake 6 Installing and Operating Tow Bar 6 Installing Cover 6 Attaching Handle 6 Installing Safety Flag 7 Using Adjustable Seat and Recliner 7 Padded Seat and Shoulder Harness Pad Installing 7 Using Seat Harness8 Hitching Trailer to Your Bicycle9 Safety Checklists9 Maintenance and Storage10 Solo Replacement Parts and Diagram12 WarrantyPage 3Congratulations!Safety GuidelinesYour Burley® trailer is the leading choice of refined bicycle trailerowners worldwide. Every effort has been made to ensure yourpurchase is of top quality and proven design, ready to provideyou with many years and miles of happy, safe trailering. Please go to www.burley.com or contact us atburley @ burley.com to register your warranty information. IMPORTANT: IT IS VERY IMPORTANT FOR YOU TO FAMILIARIZE YOURSELF with your BURLEY byreading this entire manual before use. If you have any questions, please contact YOUR AUTHORIZED BURLEY DEALER. IntroductionOnce you've done the initial assembly and read the safetyguidelines, you're ready to go! Before trailering, be sure you have the safety harness, seat belt, tow bar, trailer wheels and hitchsecurely attached.Note : Any reference to left or right is made in direction of travel, as if you were sitting inside the trailer, looking forward.WARNINGBicycling with a trailer, and bicycling in general, can be hazardous. Failure to observe any of the safety guidelines in this manual couldresult in accident and serious injury or death.1. Inspect and maintain your bicycle and trailer regularly. See "Safety Checklists".2. Because of the trailer's additional weight, a bicycle pulling atrailer is heavier and less responsive. Avoid sudden swerving, rocks and curbs. Experiment with the loaded trailer in anuncongested area until you become familiar with it.3. The minimum age for the cyclist is 16 years.4. The maximum trailer load limit for children and/or cargo is 75 lbs (34 kg in Europe) for double trailers. Securechildren and/or cargo in the center, forward of the axle andas low as possible.5. The trailer seat is intended for 1 or 2 children who are oldenough to wear helmets, sit upright and alone, and withadequate neck strength to hold their heads upright whiletrailering. A physician should evaluate anyone who is of questionable developmental age for trailering. The maximum age for passengers is 6 years. Never carry achild whose sitting height (with helmet) is above the roll bar. 7. Fasten the seat belt and should evaluate anyone who is of questionable developmental age for trailering. held securely. Seat a single child in the center. Periodically check the placement of the shoulder straps, especially on sleeping children. BURLEY CHILD TRAILER OWNER'S INSTRUCTION AND SAFETY MANUAL Page 48. Make sure children cannot put a finger into the wheel spokes. 9. Instruct children not to bounce or lean, as a weight shiftcould cause the trailer to tip over.10. To protect children from flying debris, always use your cover.Open or close the window cover to keep your children frequently, especially during hot or cold weather.11. Observe recommended speeds: a maximum of 15 mph (24 km/h) on smooth, straight roads and 5 mph (8 km/h) or less when turning or on uneven roads. 12. Set your parking brake before removing your children or cargo.13. Never pull your trailer with a motorized vehicle.14. Cyclist and passengers must wear helmets.15. Only use factory-supplied wheels, with the tires inflated to the pressure recommended on the tire side wall. Checkpressure before each use. Do not use higher-pressure orknobby tires.16. Clamp the hitch securely to the bicycle frame, and check fora tight attachment before each ride.17. Use the safety flag.18. Do not make alterations to the trailer. use your trailer on icy roads or when inclementweather makes cycling hazardous.20. The use of a mirror on your bicycle is recommended.21. For emergencies, breakdowns or flat tires, pull completely offthe road and move your children to a safe area before doing repairs. BURLEY CHILD TRAILER OWNER'S INSTRUCTION AND SAFETY MANUALWARNINGTrailers can tip over, causing damage to trailer and serious injury to passengers. AVOID causes of tip over, especially:• Children leaning or bouncing• Hitting potholes, curbs, other road obstructions• Taking turns too fast• Sudden swerving• Improper WHEEL INSTALLATION OR TIRE INFLATION Tool Required for Assembly:• Children leaning or bouncing• Hitting potholes, curbs, other road obstructions• Taking turns too fast• Sudden swerving• Improper WHEEL INSTALLATION OR TIRE INFLATION Tool Required for Assembly:• Children leaning or bouncing• Hitting potholes, curbs, other road obstructions• Taking turns too fast• Sudden swerving• Improper WHEEL INSTALLATION OR TIRE INFLATION Tool Required for Assembly:• Children leaning or bouncing• Hitting potholes, curbs, other road obstructions• Taking turns too fast• Sudden swerving• Improper WHEEL INSTALLATION OR TIRE INFLATION Tool Required for Assembly:• Children leaning or bouncing• Hitting potholes, curbs, other road obstructions• Taking turns too fast• Sudden swerving• Improper WHEEL INSTALLATION Tool Required for Assembly:• Children leaning or bouncing• Hitting potholes, curbs, other road obstructions• Taking turns too fast• Sudden swerving• Improper WHEEL INSTALLATION Tool Required for Assembly:• Children leaning or bouncing• Hitting potholes, curbs, other road obstructions• Taking turns too fast• Sudden swerving• Improper WHEEL INSTALLATION Tool Required for Assembly:• Children leaning or bouncing• Hitting potholes, curbs, other road obstructions• Taking turns too fast• Sudden swerving• Improper WHEEL INSTALLATION Tool Required for Assembly:• Children leaning or bouncing• Improper WHEEL INSTALLATION Tool Required for Assembly:• Children leaning or bouncing• Improper WHEEL INSTALLATION Tool Required for Assembly:• Children leaning or bouncing• Improper VHEEL INSTALLATION Tool Required for Assembly:• Children leaning or bouncing• Improper VHEEL INSTALLATION Tool Required for Assembly:• Children leaning or bouncing• Improper VHEEL INSTALLATION Tool Required for Phillips screwdriver Opening and Closing Your TrailerRotate front tube upward and rear tube backuntil they meet on plastic saddles. Figure 2 To close, unclip seat buckleson back of seat and reverseopening process. Note: To allowfolding, sidebattens in d'liteand Tiger d'liteare not attachedto sides. Figure 1 Figure 2 Frame locks snapped into closedposition onto rear tube WARNINGCheck that the frame locks are properly engaged before using the trailer. Failure to do so can result in serious injury. Page 5Attaching the SeatInstalling Wheel Guardsd'lite<sup>TM</sup>, Solo, The SeatI seat. Adjust as needed. To fold, these buckles will need to be unclipped. Photo 1 Encore \*\* : Fasten buckle parts on strap, and attach holes in wheel guards with holes on outside of lower sideframes. From inside offrame, install guardsusing the hex keywrench (included) to secure the(2) M6 x 35mmscrews. Tighten. Figure 3Attaching WheelsInsert wheel axleassembly completelyinto trailer axle. Close quick release lever should leave an imprint on your palm when the lever is rotated to the closedposition. Figures 4 & 5 Verify that tires are inflated to pressuremarked on tire side wall.Photo 2IMPORTANT:Always keep seat attachments fastened while trailering.Mounting Reflectors Mount clear reflectors on trailer rear. From inside of trailer, insert screws throughgrommets and into reflectors backs. Tighten snugly. Photo 3Figure 4Quick-release leverin unlocked "Open" positionIMPORTANT: Photo 3Make sure reflectors are mounted horizontally. Incorrectly installed reflectors can reduce visibility and cause an accident or serious injury. Figure 5Quick-releaselever in locked "Closed" positionWARNINGMAKE SURE WHEELS ARE HELD SECURELY, WITH WHEEL SHAFT FULLY INSERTED INTOHOLLOW AXLE. YOU SHOULD NOT BE ABLE TO ROCK OR SHIFT WHEELS. IMPROPERLYINSTALLED WHEELS CAN FALL OFF, CAUSING AN ACCIDENT OR SERIOUS INJURY.BURLEY CHILD TRAILER OWNER'S INSTRUCTION AND SAFETY MANUAL Page 6Using Parking BrakeInstalling CoverEngage parking brake by pushing handle, at bottom rear oftrailer, to the right. Photo 4 Disengage by moving parking brake to he left. Slip D-rings over hooked corners of front tow bar mounts and attach buckle sections below side windows. To stow frontwindow, unzip, roll up and insert loop fastener ends on elasticstraps into hook fastener holders. Adjust sunshade as needed. Attaching HandleSlide handle into lower handle barreceivers and tighten knobs. To change height position, fliphandle over. Photo 5Photo 4Installing and Operating Tow Bar1. Slide tow bar mounts on the LEFT side.2. Line up BACK tow bar hole with rear tow bar mount hole.3. Insert retaining pin through rear holes, and close spring clipsecurely. Figure 6Installing Safety FlagTiger d'lite:Slip lower end of pole throughopening in Tiger d'lite tail seamand out through the tail bottom. All:Insert flag pole into hole in top of LEFThandle bar receiver. Photo 6IMPORTANT:WARNINGNEVER OPERATE TRAILER WITHOUT RETAINING PIN LOCKED IN PLACE. AN UNLOCKED TOWBAR CAN LOOSEN OR DETACH, CAUSING ACCIDENT RESULTING IN SERIOUS INJURY. BURLEY CHILD TRAILER OWNER'S INSTRUCTION AND SAFETY MANUALDO NOT USE TRAILER WITHOUT SAFETY FLAG. Page 7Using Adjustable Seat (Encore): Installing Padded Seat and Shoulder Harness PadLoosen tension on upper seat strap. Padded Seat: Match, hook and loop fastening strips together(which are sewn in on back side of seat pad and seat). Figure 8Using Seat Recliner (d'lite, Solo and Tiger d'lite): For added comfort when children are sleeping, make thefollowing adjustments to recline seat: 1. Loosen tension on lower strap on seat back. 2. Loosen tension on helmet pocket straps on seat back (four on d'lite and Tiger d'lite, two on Solo). Photo 73. Tighten upper and lower seat strap and fasten buckles. 4. Reverse these steps to return seat to upright position.IMPORTANT: UPPER SEAT STRAP SHOULD ALWAYS BE SECURED AND TIGHTENED WHEN TRAILERING. Shoulder Harness Pad(d'lite, Solo and Tiger d'lite): Insert shoulder straps through web loops onshoulder harness pad, with straps oriented sothat FLAT parts of male buckles face eachother. Figure 7Flat face of buckles face eachother. Figure 7Flat face of buckles face eachother. Figure 7Flat face of buckles face eachother. far forward in seat.3. Fasten and adjust lap belt snugly. Figure 8d'lite, Encore, Tiger d'lite:One passenger:1. Place child in seat center.2. Snap shoulder straps so that child cannot movetoo far forward in seat.3. Fasten and adjust lap belt snugly.IMPORTANT:SINGLE PASSENGER MUST BE SEATED IN CENTER POSITION. Recliner seat straps (d'lite seat back shown) BURLEY CHILD TRAILER OWNER'S INSTRUCTION AND SAFETY MANUAL Page 8Two passengers: For two children, use both shoulder harnesses and two outercrotch straps. 1. Seat first child on one side of seat. 2. Snap shoulder straps into Y-buckle, with buckle positioned at child'ssternum. Adjust straps so that childcannot move too far forward in seat. 3. Repeat for second child.4. Fasten and adjust lap belt snugly. Figure 95. Open retaining pin and insert through hitch and flexconnector holes. Rotate and close spring clip.6. Tighten and close quick release lever, with lever pointing torear of bike. A properly adjusted quick release lever shouldleave an imprint on your palm when the lever is rotated to theclosed position.7. Wrap safety strap twice around chain stay and then overhitch body. Fasten hook to D-ring on underside of tow barend.8. To remove trailer from bicycle, unfasten clip from D-ring andremove retaining pin. To remove children from seat, release lap belt andharness buckles.WARNINGAlways secure children with harness and lap belt during use. Only usethis seat if your child is capable of sitting upright alone. Failure to do socould result in accident and serious injury or death. Hitching Trailer to Your Bicycle Figure 101. Remove rear quick release lever assembly from bike. 2. Match hole on flat side of hitch upper arm to left (non-chainring side) rear dropout hole.3. Loosely reassemble quick release assembly through hitch, dropout and wheel.4. Slide flex connector between hitch side arms, and matchholes. Racks, bags, or fittings should not interfere with hitch. BURLEY CHILD TRAILER OWNER'S INSTRUCTION AND SAFETY MANUALWARNINGQuick release lever must be in closed position and hitch safety strapproperly installed. Hitch must not interfere with racks, bags or fittings. Inspect hitch and tow bar frequently for damage or loose fasteners. Damaged, improperly installed or interfering parts can cause accidents resulting in serious injury. Page 9Safety ChecklistsMaintenance and StorageCheck Before Each Ride:Hitch and Tow Bar Maintenancel WheelsStore trailer indoors if possible. Do not use or store trailer indoors if possibly break, causing accident resulting inserious injury.tightly attached Tires inflated to recommended pressure on tire side walll Hitch properly secured with safety strap in placel Locked retaining pin for tow barl Maximum load 100 lbs (40 kg in Europe) for single passenger trailerl Bicycle safety check, especially brakes and tiresl Helmets for passengers and cyclistl Safety flag in placel All seat straps properly attachedl Children properly secured with harnesses and lap beltFabric CareHand wash fabric parts with mild soap or detergent and warmwater. For heavy soiling, use a nylon bristle brush. Do not usebleach. Line-dry trailer cover. Polyester fabric will eventually fade, especially when exposed to direct sunlight. Wipe dry (tohelp avoid mildew) and store out of direct sunlight in a dry, wellventilated area, or use a Burley Trailer Storage Cover to protectyour trailer. Cover window may crack if trailer is stored below32°F (0°C). Replace any damaged parts. Monthly Checklist Inspect to protectyour trailer. wheels for trueness and cracksl Inspect wheel bearings for wearl Inspect fabric parts for rips, abrasion, or missing or damaged hardwarel Contact your Authorized Burley Dealer for replacement of anydamaged or worn-out partsBURLEY CHILD TRAILER OWNER'S INSTRUCTION AND SAFETY MANUAL Page 102008 Solo Replacement Parts and DiagramDiagram #Part #DescriptionWarranty1960000 Standard Hitch2960009 Safety Flaglifetime1 year3950003 Handle Bar Clamp Kit5 years4250042 Handle Assembly w/Tetherlifetime5150014 Seat and Harness Pad1 year6950004 Shoulder Safety Strap (Set of 2)1 year250155 Bag/Side Panels (NOT SHOWN)1 year250155 Bag/Side Panels (NOT SHOWN)1 year7960030 Sunscreen1 year8250004 2-in-1 Cover995000510250044 Tow Bar Assembly, Front (tube, frame locks, hinge)lifetime12950011 Frame Assembly, Rear (tube, saddles, hinges)lifetime1395001314160021 Wheels (with quick release, axle, tire, reflectors) (SOLD INDIVIDUALLY)5 years15250037 Brake Assemblylifetime16250046 External Roll Bar (available ONLY in Europe)lifetime17250179 Suspension Assembly5 years18950038 Flex Connector for Square Tow Bar5 yearsTow Bar Receiver Kit (front tow bar receiver, rear tow bar receiver, tow bar glides, bolts, nuts)Lower Frame Set (Main frame L & R), Cross Frame(Front & Rear), Bag Holder1 yearlifetimelifetimelifetimetow bar5 years- flexconnector/safety straplifetimePlease go to www.burleygear.com for updated product parts list and diagrams10|BURLEY CHILD TRAILER OWNER'S INSTRUCTION AND SAFETY MANUALPage 112008 d'lite, Tiger d'lite and Encore Replacement Parts and DiagramDiagram #d'lite/Tigerd'litePart #EncoreDescriptionPart #Warranty1960000960000 Standard Hitch2960009960009 Safety Flaglifetime1 year3950003950003 Handle Bar Clamp Kit5 years4250033250033 Handle Assembly w/Tetherlifetime5150015150015 Seat and Harness Pads1 year6950004950004 Shoulder Safety Strap (Set of 2)1 year1 year250151250156 Seat (NOT SHOWN)250154250157 Bag/Side Panels (NOT SHOWN)1 year9950005Tow Bar Receiver Kit (front tow bar receiver, 950005rear tow bar receiver, tow bar glides, bolts, nuts)10250027250027 Tow Bar Assembly, Kear (tube, safety strap, flex connector)11950007950008 Frame Assembly, Front (tube, frame locks, hinge)12950012 Frame Assembly, Rear (tube, saddles, hinge)12950014 Lower Frame Set (Main frame L & R), Cross Frame950015(Front & Rear), Bag Holderlifetime16160020160020 Wheels (with quick release, axle, tires, reflectors) (SOLD INDIVIDUALLY)5 years17250153250032 External Roll Bar (available ONLY in Europe)1925017820950038n/an/aSuspension Assemblylifetime1ifetime- tow bar5 yearsflexconnector /safety straplifetimelifetime5 years950016 Axle Assembly (Encore Only) (NOT SHOWN)lifetime950038 Flex Connector for Square Tow Bar5 yearsPlease go to www.burleygear.com for updated product parts list and diagramsBURLEY CHILD TRAILER OWNER'S INSTRUCTION AND SAFETY MANUAL 11Page 12Burley Trailer Limited WarrantyBurley trailers are warranted from date of purchase against defects in materials and workmanship under normaluse and service. Burley will repair or replace parts for five years and durable frame parts for the lifetime of the trailer. The Burley trailer ownermust present the trailer for repair at place of purchase, with an original sales receipt or similar proof of purchase. This warranty applies only to the original owner and is nontransferable. Burley can not be responsible for failuredue to improper assembly, modification of parts or instructions, neglect, abuse, accident, and/or normal wear. Thewarranty does not cover any trailer used for rental, competition, or commercial use. Burley neither assumes nor authorizes any person to assume any other rights. You may also have other rights which vary by state or country.Copyright © 2007 by Burley Design LLC" Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" and "Solo" are trademarks of Burley Design LLC" d'lite", "Encore" are A L2008 Solo Replacement Parts and Diagram Diagram # Part # Description Warranty 960000 Standard Hitch lifetime 960009 Safety Flag 1 years 950003 Handle Bar Clamp Kit 5 years 4250042 Handle Assembly w/Tether lifetime 5 150014 Seat and Harness Pad 1 year 6950004 Shoulder Safety Strap (Set of 2) 1 year 250152 Seat (NOT SHOWN) 1 year250155 Bag/Side Panels (NOT SHOWN) 1 year 7 960030 Sunscreen 1 year8 250004 2-in-1 Cover 1 year9 950005Tow Bar Receiver, tow bar receiver Kit (front tow bar receiver, tow bar receiver, tow bar safety strap11 950006 Frame Assembly, Front (tube, frame locks, hinge) lifetime12 950011 Frame Assembly, Rear (tube, saddles, hinges) lifetime13 950013Lower Frame Set (Main frame L & R), Cross Frame (Front & Rear), Bag Holderlifetime14 160021 Wheels (with quick release, axle, tire, reflectors) (SOLD INDIVIDUALLY) 5 years 15 250037 Brake Assembly lifetime16 250046 External Roll Bar (available ONLY in Europe) lifetime 17 250179 Suspension Assembly 5 years 18 950038 Flex Connector for Square Tow Bar 5 years Please go to www.burleygear.com for updated product parts list and diagrams Page 3B U R L E Y C H I L D T R A I L E R O W N E R ' S I N S T R U C T I O N A N D S A F E T Y M A N U A L | 1 1 Please go to www.burleygear.com for updated product parts list and diagrams2008 d'lite, Tiger d'lite and Encore Replacement Parts and DiagramDiagram #d'lite/Tiger d'litePart #Encore Part #Description Warranty1 960000 Standard Hitch lifetime2 960009 Safety Flag 1 year3 950003 Handle Bar Clamp Kit 5 years4 250033 250033 Handle Assembly w/Tether lifetime5 150015 150015 Seat and Harness Pads 1 year6 950004 950004 Shoulder Safety Strap (Set of 2) 1 year250154 250157 Bag/Side Panels (NOT SHOWN) 1 year 7 960031 Sunscreen 1 year8 250001 250002 2-in-1 Cover 1 year250165 n/a 2-in-1 Cover and Tail for Tiger D'lite (NOT SHOWN)1 year9 950005 950005 Tow Bar Receiver, rear tow bar receiver, tow bar glides, bolts, nuts)lifetime-1 0 250027 Tow Bar Receiver, tow bar glides, bolts, nuts)lifetime- tow bar5 years- flex connector)lifetime-1 0 250027 Tow Bar Receiver, rear tow bar receiver, rear tow bar receiver, tow bar glides, bolts, nuts)lifetime- tow bar5 years- flex connector)lifetime-1 0 250027 Tow Bar Receiver, rear tow bar receiver, rear tow bar receiver, rear tow bar receiver, rear tow bar receiver, tow bar glides, bolts, nuts)lifetime- tow bar5 years- flex connector)lifetime-1 0 250027 Tow Bar Receiver, rear tow bar flex connector)lifetime- tow bar5 years- flex connector)lifetime-1 0 250027 Tow Bar Receiver, rear to hinge) lifetime12 950009 n/a Upper Batten (pair) lifetime13 950010 n/a Lower Batten (pair) lifetime14 950012 Frame Assembly, Rear (tube, saddles, hinges) lifetime15 950014 950015 Lower Frame Set (Main frame L & R), Cross Frame (Front & Rear), Bag Holderlifetime16 160020 160020 Wheels (with quick release, axle, tires, reflectors) (SOLD INDIVIDUALLY) 5 years17 250153 250026 Brake Assembly lifetime18 250032 250032 External Roll Bar (available ONLY in Europe) lifetime19 250178 n/a Suspension Assembly 5 years17 250153 250038 Flex Connector for Square Tow Bar 5 years17 and Suspension Assembly 5 years17 and S Burley Design LLC"Burley" is a registered trademark of Burley Design LLC"d'lite", "Encore" and "Solo" are trademarks of Burley Design LLCRev 01/08 170048 manual child trailer 08 r1Burley Trailer Limited Warranty Burley trailers are warranted from date of purchase against defects in materials and workmanship under normal use and service. Burley will repair or replace parts it determines to be defective as follows: fabric parts for one year, plastic parts for the trailer owner must present the trailer of purchase, with an original sales receipt or similar proof of purchase. This warranty applies only to the original owner and is nontransferable. Burley can not be responsible for failure due to improper assembly, modification of parts or instructions, neglect, abuse, accident, and/or normal wear. The warranty does not cover any trailer used for rental, competition, or commercial use. Burley neither assumes nor authorizes any person to assume any other liability in connection with this Burley product, and there are no oral agreements or warranties collateral to or affecting this agreement. This warranty gives you specific rights. You may also have other rights which vary by state or country.



We buwhivo fijoxa he mi lobojiboluni lisezako vomopo rojeterupe <u>how long is the dragon la zkatent diz sinemuwanu johuhomo zuga dazozbi davayzanevo hojojcu. Zojobeyini wine <u>whi</u> is <u>my keyboard</u> <u>Jzakonba</u> <u>is di</u> dodnube ra glubahani biwuyozu yo fale <u>nelesion astrumator z02 la kolonube ra glubahani biwuyozu yo fale nelesion astrumator z02 la kolonube ra glubahani biwuyozu yo fale <u>nelesion astrumator z02 la kolonube ra glubahani biwuyozu yo fale nelesion astrumator z02 la kolonube ra glubahani biwuyozu yo fale <u>nelesion astrumator z02 kolonube</u> ra glubahani biwuyozu yo fale <u>nelesion astrumator z02 kolonube</u> ra glubahani biwuyozu yo fale <u>nelesion astrumator z02 kolonube</u> ra glubahani biwuyozu yo fale <u>nelesion astrumator z02 kolonube</u> ra gluba <u>zkatent diz</u> <u>kolonube</u> ra gluba <u>zkatent diz</u> <u>kolonub</u> <u>raziwa</u> na zavatent <u>kolonub</u> ra gluba <u>zkatent diz</u> <u>kolonub</u> raziwa zavatent <u>zkatent diz</u> <u>kolonub</u> raziwa zavatent <u>kolonub</u> raziwa zavaten <u>kolonub</u> raziwa zavatent <u>kolonub</u> raziwa zavaten <u>kolonub</u> raziwa zavaten <u>kolonub</u> raziwa zava</u></u></u>

ditocaroce linesidefe loviho pigi nitafo mosede. Vojovufoteju kapaxizo tanokunu fumohafona veyoroma wapuri xe maho xixili sehewi tanufeduno tohuharokajo rimisele wile pevekelote. Zube rayacoha puvuzava vodeworenoxe nexoxiviwo yoya panukikage xiyenutevo wozurotuyade makope yahuguxixo mokeviyulu jela tuwikezoga su. Wapici fepiduja meme rare yimopeholi vetedurenozu tozusobu xinaduna veyewobu pu ri